STÖRNCH
Condenser Support

Contents

Ready-to-Go Bracket Sets	8
Cantilever Arms	8
Condenser Wall Brackets	9
Condensing Unit Trays	10
Condensing Unit Guards	11
STÖRNCH Mini Feet	12
STÖRNCH Rubber Support Feet	13
Vibration Control	14 -15
Big Foot Roof Support	16
Strut Foot Roof Support	17
Lock 'n' Load Roof Support	18
Big Foot Supports	19

STÖRNCH Ready-To-Go Bracket Sets

STÖRNCH
Condenser Support

- The STÖRNCH "Ready-to-go" set is a cantilever set flat packed with all the necessary fixings for an installation.
- Save time on site - time is money!

SET CONTAINS:

- 1 pair of cantilever arms
- End Caps
- Channel Nuts
- 2 Lengths of 41 x 41mm x 750mm H.D. Channel
- Rawlbolts
- Bolts and washers



Part No	Description	Size	Weight
GMCN20	Ready-To-Go Bracket Set	450mm	160kg
GMCN21	Ready-To-Go Bracket Set	600mm	160kg
GMCN5	Ready-To-Go Bracket Set	750mm	160kg

Cantilever Bracket Arms

Part No	Description	Size
GMCN32	Cantilever Arm	300mm
GMCN18	Cantilever Arm	450mm
GMCN19	Cantilever Arm	600mm
GMCN31	Cantilever Arm	750mm

- Hot-dip galvanised
- Used for pipework support and mounting air conditioning units to walls
- Can be used with channel using channel nuts

Part No	Description	Size
GMCN18D	Back-to-Back Cantilever Arm	450mm
GMCN19D	Back-to-Back Cantilever Arm	600mm

Condenser Wall Bracket Set - 60kg

Height	350mm
Crossbar width	800mm
Depth	450mm
Gauge	1.8mm

Part No	Description	Weight
GMCB4	Condenser Wall Bracket Set	60kg

Condenser Wall Bracket Set - 90kg

Height	350mm
Crossbar width	800mm
Depth	450mm
Gauge	1.8mm

Part No	Description	Weight
GMCB5	Condenser Wall Bracket Set	90kg

Condenser Wall Bracket Set - 140kg

STÖRNCH
Condenser Support

- Galvanised steel & powder coated - conforms to ISO 09227 corrosion test
- Heavy gauge for added strength
- Integrated spirit level for easy installation
- High quality fixings supplied for secure installation
- Interlocking design, part assembled for fast installation
- Anti vibration pads as standard
- Bracket can be mounted using horizontal wall bar, or directly to the wall as bracket arm pairs
- Easy levelling on uneven walls, with adjustable bolt
- Suitable for use with drip trays

Height	450mm
Crossbar width	850mm
Depth	550mm
Gauge	2.0mm

Part No	Description	Weight
GMCB6	Condenser Wall Bracket Set	140kg

Condensing Unit Trays (Metal)

Part No	Description	Size
GMCT1	Metal Tray	800mm x 400mm x 25mm
GMCT2	Metal Tray	1100mm x 400mm x 25mm

- Attached to cantilever arms or condenser wall brackets
- Complete with fixings
- Complete with outlet connection to ¾" pipe

Condensing Unit Trays (Plastic)



- Complete with clips for fitting to any brackets
- 15mm outlet connection

Part No	Description	Size
GMCT3	Plastic Tray	790mm x 390mm
GMCT4	Plastic Tray	940mm x 420mm

Condensing Unit Guards

- Unique sliding panel system
- All panels can be removed for maintenance by unscrewing just four bolts
- Additional bottom and back panels are available for stand alone/high wall options
- All bolts are allen-headed for added security
- Quick and easy to install and access for maintenance
- Textured finish in RAL7032 Pebble Grey

Part No	Description	Size	External H (mm)	External W (mm)	External D (mm)
GMCG41	Condensing Unit Guard	Small	750	1050	460
GMCG16	Condensing Unit Guard	Intermediate	950	1050	650
GMCG42	Condensing Unit Guard	Medium	1150	1150	650
GMCG43	Condensing Unit Guard	Large	1450	1150	650
GMCG48	Condensing Unit Guard	Extra Large	1800	1150	650

Top/Bottom Panels



- Can be used as top or bottom panels
- **GMCG41T** - Replacement panel for small condensing unit guards
- **GMCG42T** - Replacement panel for medium, large or extra-large condensing unit guards (This panel is exactly the same for each size, so is compatible with all guards except the small size)

Part No	Description	Size
GMCG41T	Top or Bottom Panel	Small
GMCG42T	Top or Bottom Panel	Medium, Large & X-Large

Back Panels

Part No	Description	Size
GMCG1B	Back Panel	Small
GMCG16B	Back Panel	Intermediate
GMCG2B	Back Panel	Medium
GMCG3B	Back Panel	Large

Minifoot 110mm

STÖRNCH Condenser Support

- Lightweight support suited for pipework, cable tray, & basket etc
- Accommodates 41 x 41mm channel horizontally or vertically
- Recommended load – 25kg per foot

Part No	Description	Size
GMPMF110	Minifoot	110mm x 110mm

Minifoot 160mm

STÖRNCH Condenser Support

- Recommended load – 50kg per foot

Part No	Description	Size
GMPMF160	Minifoot	160mm x 160mm

Minifoot 110mm (M8 Thread)

STÖRNCH Condenser Support

- Recommended load – 25kg per foot
- Works in conjunction with M8 threaded rod or fasteners

Part No	Description	Size
GMPMF8110	Minifoot M8 Stud	110mm x 110mm

Minifoot 160mm (M8 Thread)

STÖRNCH Condenser Support

- Recommended load – 50kg per foot
- Works in conjunction with M8 threaded rod or fasteners

Part No	Description	Size
GMPMF8160	Minifoot M8 Stud	160mm x 160mm

Minifoot 110mm c/w 250mm Channel

STÖRNCH Condenser Support

- Recommended load - 50kg per kit

Part No	Description	Size
GMPMF250	Minifoot Kit with 250mm Channel	110mm

Adjustable Duct Support

STÖRNCH Condenser Support

- Non-penetrative duct support
- Quick and easy to install
- 305mm Foot with adhered Anti-vibration pad
- Height adjustable between 220 - 400mm
- Total height 600mm from floor
- Static max. Load 80kg
- Adjustable Tube with thumb screw and foot adapter

Part No	Description	Qty/Pk
GMCG50	Adjustable Duct Support (M8 Stud)	pk 5

Rubber Support Feet 250mm

STÖRNCH Condenser Support

- Neat and tidy, non-penetrative rooftop support solution
- 40mm x 20mm aluminium channel recessed into the top face, to allow for easy fixing of services
- Suitable for pipework, ductwork and cable tray runs
- Made from durable, recycled rubber, offering built in anti-vibration properties, and making these an economical and environmentally responsible solution

Part No	Description	Size	Max Load/foot
GMCG20	Small Foot	250 x 180 x 95mm	80kg

Rubber Support Feet 400mm

STÖRNCH Condenser Support

Part No	Description	Size	Max Load/foot
GMCG21	Medium Foot	400 x 180 x 95mm	125kg

Rubber Support Feet 600mm

STÖRNCH Condenser Support

Part No	Description	Size	Max Load/foot
GMCG22	Large Foot	600 x 180 x 95mm	220kg

Rubber Support Feet 1000mm

STÖRNCH Condenser Support

Part No	Description	Size	Max Load/foot
GMCG23	X-Large Foot	1000 x 180 x 95mm	290kg

Condensing Unit Blocks

GM2CBB

GM3CBB

Part No	Description	Size	Qty/Pk
GM2CBB	Condensing Unit Blocks	450mm	Pair
GM3CBB	Condensing Unit Blocks	1000mm	Pair
GM4CBB	Black End Caps		Each



GM4CBB

- Safe workload to approx 200kg
- Can be cut to length if required
- Reduces condenser vibration - Supplied with necessary bolts for a simple and rapid installation

Ultralite Paving Slabs

Part No	Description	Size
GMVB10	Ultralite Paving Slab	600mm x 600mm
GMVB11	Ultralite Paving Slab	900mm x 400mm

- Lightweight paving slabs for mounting units
- Tough, durable and vibration-absorbing
- Weight +/- 6kg each
- Load capacity 270kgs
- Fibre-cement coated - Looks and performs like a concrete paving slab

Vibromats

- Sound dampening properties
- Ideal for flat roofs & delicate surfaces
- Specialist anti-vibration mats for condensing and air handling units

Part No	Description	Size
GMVB1	Vibromat	600mm x 150mm x 30mm
GMVB3	Vibromat	1000mm x 500mm x 30mm

Rubber Tile



- Sound dampening properties
- Ideal for flat roofs & delicate surfaces
- Specialist anti-vibration mats for condensing and air handling units

Part No	Description	Size
GMVB4	Rubber Tile	500mm x 500mm x 45mm

Vibrostrip



- Sound dampening properties
- Ideal for flat roofs & delicate surfaces
- Specialist anti-vibration mats for condensing and air handling units

Part No	Description	Qty/Pk
GMVB5	Vibrostrip	1000mm x 75mm x 15mm

Anti-Vibration Pads



- Latest vibration dampening technology - far outperforms rubber and cork
- Composite foam centre
- Resistant to oils and chemicals
- 90° opposed ribbed sheets for static non-slip contact even in wet

Part No	Description	Size
GMVB32	Anti-Vibration Pad	100mm x 100mm x 22mm

Rubber Multipurpose Mounts - 20kg

- Manufactured from vulcanised UV resistant rubber with an M8 zinc plated thread on both ends
- Supplied complete with nuts and washers
- Very effective for mounting condensing units on brackets and cantilever arms etc

Part No	Description	Weight Rating	Size	Qty/pk
GMVB8	Rubber Mounts	20kg	(M8) 30x20mm	pk 4

Rubber Multipurpose Mounts - 40kg

- Manufactured from vulcanised UV resistant rubber with an M8 zinc plated thread on both ends
- Supplied complete with nuts and washers
- Very effective for mounting condensing units on brackets and cantilever arms etc

Part No	Description	Weight Rating	Size	Qty/pk
GMVB9	Rubber Mounts	40kg	(M8) 40x30mm	pk 4

VT Mounting Feet

- Manufactured in neoprene with mild steel inserts
- Ideal for condensing units, axial and centrifugal fans

Part No	Description	Weight Rating	Thread Size
GMVB15	Mounting Feet	9 – 18kg	M8

Part No	Description	Weight Rating	Thread Size
GMVB17	Mounting Feet	20 – 40kg	M8

Big Foot Base Frame & Extender Frame

- Non-penetrative load management mounting system for HVAC equipment
- The Base Frame has the ability to extend from any side using the Extension Kit,
- Giving you the flexibility to create the frame configuration to suit your install
- Quick and easy to assemble
- Adjustable leg assemblies
- Integrated rubber mats
- Hot-dipped galvanised steel framework
- 1.0m x 1.2m multiples

Part No	Description	Size
GMCG25	Big Foot Base Frame	1mt x 1.2mt
GMCG26	Big Foot Extender Frame	1mt x 1.2mt

BIG FOOT® SYSTEMS

Big Foot H-Frame Set

Note: Channel not included

- Quick and economical solution for supporting pipework, tray or ductwork
- Pack includes 2 big feet, Unistrut brackets and fixings

Part No	Description	Size	Recommended Frame Load
GMCG7	H-Frame Set	305mm²	300kg
GMCG9	H-Frame Set	450mm²	500kg

BIG FOOT® SYSTEMS

Strut Foot Base Frame & Extensions

- A fast and economical system for mounting M&E services, Air conditioning & Refrigeration on flat roofs
- No penetration of waterproof roof membrane
- Anti-Vibration pads pre-attached to feet
- Cross compatibility with all Unistrut type brackets

Part No	Description	Size
GMCG28	Strut Foot Base Frame	1mt x 1.3mt
GMCG29	Strut Foot Extender Frame	1mt x 1.3mt

StrutDirectLtd

Strut Foot H-Frame Set

- Feet are supplied with fixings & brackets
- No penetration of waterproof roof membrane
- Anti-Vibration pads pre-attached to feet

Part No	Description	Size	Recommended Frame Load
GMCG27	H-Frame Set	305mm²	300kg

StrutDirectLtd

Lock 'n' Load Base Frames

- Lock 'n' Load Base Frame can support a single unit; or with the addition of extender kits you can increase the length to create the ideal frame for your installation

Part No	Description	Size
GMCG80	Low Frame	767mm(W) x 1096mm(L) x 305mm(H)
GMCG81	Medium Frame	767mm(W) x 1096mm(L) x 450mm(H)
GMCG82	High Frame	767mm(W) x 1096mm(L) x 600mm(H)

Lock 'n' Load Extender Frames

- Lock 'n' Load Extender frames to extend the length of the main frame

Part No	Description	Size
GMCG83	Low Extender	820mm(W) x 1096mm(L) x 305mm(H)
GMCG84	Med Extender	820mm(W) x 1096mm(L) x 450mm(H)
GMCG85	High Extender	820mm(W) x 1096mm(L) x 600mm(H)

Lock 'n' Load Tower Frame

- Lock 'n' Load Tower frame for double stack
- Quick to assemble
- Galvanised steel frame with reinforced plastic connectors
- Fully adjustable crossbars
- Anti-vibration mounts

Part No	Description	Size
GMCG86	Tower Frame	767mm(W) x 1096mm(L) x 1426mm(H)

Big Foot Multifoot Support - Small

- For supporting small or large pipework systems, cable trays, ductwork or any combination you require
- Accommodates 41mm x 41mm channel horizontally or vertically
- Includes rubber anti-vibration pad
- Heavy duty plastic construction

Part No	Description	Size
GMCG10	Small Ductwork Support	400mm x 180mm

Big Foot Multifoot Support - Large

Part No	Description	Size
GMCG11	Large Ductwork Support	600mm x 220mm